This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


IMAGES ARE BEST AVAILABLE COPY.


As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.






F16. 3







TEMPLATE TEMPLATE ABBREVIATION FIXEDMODULE ACU ACP REQUESTLINKAGE RECUESTLINKAGE SURERPENTATION RECUESTLINKAGE SURERPENTATION RECUESTLING RECUESTRING RECUESTLING RECUESTLING												
2) 14g	FIXEDMODULE ACU	FIXED MODULECHILLED WATERSYSTEM	NAMED MODULE WATER CONNECTION	TEMPLATERUNG {	OTE A. CANISOLATE	S NO DOR MORINI TIME	COMPONENT TEMP, ATE DILLO	XIC 4. 15 OPENED	TA DEFINITIONNAME=	INTESER" VALUE = "O" > "ADEFINITION NAME = "YPE = "NYTES = O"	C150
TEMPLATE EDITOR PUMP REQUESTLINKAGE ROUTINGT SERVICE SINGLEVALVESERVICE SINGLEVALVESERVICE SYSTEM WATERLOAD A NALOGINPUT A CU A NALOGINPUT CHILLEDUATER SYSTEMCOMPONENT SYSTEMCOMPONENT LATERCOMPECTION	381		ACP	FACTORYCLASS 1142	USERDEFINED COMPONENT		CHILLED WATER SYSTEM COMPONEN	14,		DATA DE FINITION II < DAT	TATADEFINITION CDATE 18, MAXSERVICES	
	TEMPLATE _	FOITOR		PUMP REQUEST LINKAGE	ROUTINGT SERVICE	SUNTENTIFESERVICE	136 TEMPERATURE MONITOR	WATERLOAD	A CU A NALOGINPUT	CHILLEDWATER	VALVECOMPONENT WATERCONNECTION	

F16.8

